

With the BR 40/10 we present the successor of the BR 400, the most economic machine in its class. This compact and powerful scrubber drier has a working width of 400 mm and a tank volume of 10 l. The Advance version is equipped with additional transport wheels and a brush contact pressure adjustment.

Standard accessories:

- Roller brush
- 2-tank system
- Mains operation
- Variable contact pressure
- Transport wheels
- 2 straight squeegees

Order no.: 1.783-302.0**Technical data**

Working width, brush (mm)	400
Working width, vacuum (mm)	400
Motor rating (W)	1900
Battery Capacity	-
Battery Voltage	-
Tank fresh/dirt water (l)	10/10
Brush contact pressure (g/cm ²)	100-200
Brush rotation speed rpm	1100
Max. area performance (m ² /h)	400
Frequency Hz	50
Voltage (V)	220-240
Weight (kg)	30
Dimensions (L x W x H) (mm)	520x470x380

Details

Description

This compact and flexible scrubber drier can be used for variable applications. A low – noise cleaning is in both directions possible. Special features of the machine are the hinged push handle and the easily removable tanks, which can be carried with an ergonomic handle. The tanks can also be filled at low wash basins. The brushes and squeegees can be changed within a few seconds without any tools.

Application

Due to its flexible construction the economic scrubber dryer can be used for areas between 100 and 450 sqm for example in shops, hospitals, restaurants, hotels, crafts and in various industries.

Features & Benefits

Comfort for the users due to the ergonomic push handle. Saves space because of the hinged push handle. Easy to transport because of an integrated under - carriage and additional transport wheels, which can be fixed at the push handle, if they are not needed. Tanks can be removed without any problems and also filled at low wash basins. High tank volume of 10 litres, which leads to longer cleaning intervals. Brushes can be changed within a few minutes without any tools. Squeegees can be easily changed as a compact unit. Innovative design, high service and user friendliness. Easy understandable brush contact pressure adjustment with pictograms.

Accessories

Microfibre shaft

Microfibre roller

World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-228.0.

Order no. 4.114-004.0



Roller brushes for BR

Roller brush, medium

Medium, for all floors.

Order no. 4.762-458.0



Roller brush, very soft

Very soft, for cleaning sensitive surfaces and for polishing.

Order no. 4.762-250.0



Roller brushes, high-low

Medium hard, for cleaning strong structured floors and deeper joints.

Order no. 4.762-251.0



Roller brushes, hard

Hard, for heavy soilings und for deep cleaning; for unsensitive floors only.

Order no. 4.762-252.0



Roller brushes for BR

Roller brush, carpet, soft, 400 mm

carpet, soft, blue, for pile loop

Order no. 4.762-254.0



Roller brush, soft

Very soft, made of horsehair, perfect for spray cleaning and for polishing.

Order no. 4.762-274.0



Roller brush, very hard

Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.

Order no. 4.762-481.0



Roller pad shaft

Roller pad shaft

400 mm

Order no. 4.762-228.0



Roller pads, premounted on sleeves

Roller pad on sleeve, soft

Soft, 96 mm, roller pads premounted on sleeve, for polishing and for spray cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-724.0



Roller pads, premounted on sleeves

Roller pads on sleeve, hard

Hard, 96 mm, roller pads on sleeve, for removing the stubborn soilings and for deep cleaning of non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-725.0



Roller pads on sleeve, medium

Medium, 96 mm, roller pads premounted on sleeve, for cleaning non-structured surfaces. Combined with roller pad shaft 4.762-228.0. Machine requires 2.

Order no. 6.369-726.0



sonstiges

Cleaning agent wall dosage kit

Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.

Order no. 2.641-811.0



Filling hose

For easy filling from the tab

Order no. 6.389-524.0



Extension cable

20 meter.

Order no. 6.647-022.0



Suction bar, complete

Squeegee, standard
straight, standard

Order no. 4.777-323.0



Squeegee, oil resistant
straight, oil-resistant

Order no. 4.777-322.0

