

Fast, efficient deep carpet cleaning in a single pass.

**Standard accessories:**

- Direction of operation backwards
- No. of rollers 1 piece

**Order no.: 1.008-037.0**

**Technical data**

Area performance (Deep cleaning/interim cleaning "iCapsol") m <sup>2</sup> /h	100
Air flow rate dm <sup>3</sup> /s	46
Vacuum (mbar/kPa)	300/30
Spray pressure, interim cleaning	-
Spray pressure, deep cleaning (bar)	3.5
Spray rate, interim cleaning	-
Spray rate, deep cleaning (l/min)	1
Working width, brush (mm)	270
Working width, vacuum (mm)	315
Tank fresh/dirt water (l)	15/15
Power rating fan (W)	1130
Power rating brush (W)	80
Weight (kg)	26
Dimensions (L x W x H) (mm)	920x360x750

## Details

### Description

The BRC 30/15 C offers simple, efficient deep cleaning of carpets in a single pass. The machine is designed to be exceptionally easy to use, and provides superb deep cleaning results. Using the spray-extraction method with a rotating brush and high suction power, the BRC 30/15 C deep cleans in a single pass and helps carpets to dry out very quickly.

---

### Application

- Hotels - Hire - Restaurants - Healthcare

---

### Features & Benefits

- Height adjustable, foldaway pull handle makes it easy to use, store and transport.
- Water flow stops on release of the detergent button to prevent drenching of carpets.
- Removable dirty water tank with built-in handle, for simple emptying of waste water.
- Float switch in the waste water tank protects the vacuum motor.
- Optional hose and hand tool for spot cleaning and upholstery cleaning.
- Fresh water tank with filter prevents debris entering the unit.
- Large 10" non-marking tyres for easy transportation.
- Simple functions for easy operator training.

---

## Accessories

### Hand tools

#### Hand tool

For cleaning upholstery with puzzi 400/ E and 400 K, with water flow reducer  
3.637-029 (except puzzi 440 K)

**Order no. 4.130-163.0**



### Spray-extraction hoses

#### Complete, metal coupling

Complete, metal coupling

**Order no. 4.440-644.0**



### Teppichreinigungsautomat

#### Adapter

For hand tool 4.130-163.0

**Order no. 8.631-030.0**



#### Roller brush

standard, black

**Order no. 8.621-604.0**

