

Cold water compact class

HD 5/12 C Plus *AU



makes a difference

Cold-water pressure washer for daily commercial use. With its compact dimensions, robust construction and greatest possible manoeuvrability, this unit is a credit to the compact class.

Standard accessories:

- Dirt Blaster
- Anti-twist system (AVS)

Order no.: 1.514-105.0



Technical data

Number of current phases (Ph)	1
Frequency (Hz)	50
Voltage (V)	240
Water flow rate (l/h)	510
Operating pressure (bar/MPa)	115/11.5
Max. pressure bar	150
Max. water feed temperature (°C)	up to 60
Connected load (kW)	2.3
Weight (kg)	22
Dimensions (L x W x H) (mm)	360x375x925

Details

Description

This cold-water pressure washer with alternating current drive unit is the ideal entry-level model for commercial end users. The upright HD 5/12 C Plus boasts impressive mobility, compactness and a height-adjustable shaped aluminium push handle. The advantage of the push handle is that it can easily be adjusted to the operator's body height without using tools. In the extended position, the unit's generous stowage facilities ensure that accessories are always ready to hand and put away safely. In the retracted position, this handy unit can easily be stowed in any estate car or service vehicle. It boasts familiar Kärcher features such as a full shock-resistant plastic covering that protects the high-pressure pump from damage and soiling. Other very good features are a power cord storage (with plug lock) and a nozzle compartment arranged practically on the back of the unit. The cleaner comes with a three-way nozzle that enables the water jet to be adjusted quickly and easily. You can choose between a high-pressure pencil jet, a high-pressure fan jet (25°) and a low-pressure fan jet. The low-pressure fan jet (40°) is used for dispensing cleaning agent. The cleaning agent metering valve enables cleaning agent to be mixed continuously with the high-pressure jet. The large-volume oil container, which is very important for ensuring that the unit is always adequately lubricated, can be checked very easily from outside through an oil level inspection glass. The three-piston axial pump with stainless steel pistons and a brass cylinder head guarantees a long service life and low susceptibility to faults. The special feature of this newly developed pump is that both the water inlet and the high-pressure outlet are made of brass, which makes them highly resistant to fracture and corrosion.

Application

Suitable for use in many fields: crafts, trades, cleaning companies, local authorities

Cold water compact class

HD 5/12 C Plus *AU



makes a difference

Optional Accessories

Automatic, self-winding hose reels

ABS hose reel stainless steel

High-grade, automatic steel hose reel. Especially suitable for use in the food industry. The material and finish provide for a corrosion-resistant, watertight capsuled sprung drive. Connection for HP hoses with nipple.

Order no. 2.641-866.0



ABS wall fastening stainless steel

Swivelling wall bracket made of high-grade steel (for 2.641-866). This makes maximum flexibility and convenience possible when working with the HP hose.

Order no. 2.641-867.0



Becher-Schaumlanze

Foam lance

Short and handy foam lance with a 1-litre detergent tank directly at the lance. Due to its compact construction it is perfectly suited for foam cleaning of vehicles. Infinitely detergent dosage, swivel connection M22x1,5, adjustable jet angle.

Order no. 6.394-668.0



Tank 1L

Order no. 6.414-954.0



Doppelstrahlrohr

Double spray lance 960 mm

Infinitely adjustable control of the working pressure directly on the handle with full water quantity. Suitable above all for agriculture (e.g. cleaning stalls).

Order no. 6.394-665.0



Cold water compact class

HD 5/12 C Plus *AU



makes a difference

Flexible spray lance

Jet pipe flexible

Infinitely variable adjustment of the angle of the spray lance from 20° - 140°. Especially suitable for cleaning difficult-to-reach areas such as roof gutters, car roofs, undercarriages or wheel cases.

Order no. 6.394-654.0



Floor and hard surface cleaner

FR Xpert hard surface cleaner

A rotating nozzle beam with Kärcher Power nozzles has an area coverage up to 10 times larger than conventional methods. Plastic cover for good manoeuvrability. Nozzle kit included in delivery. Max. 180 bar / 600 l/h / 60 °C

Order no. 2.641-686.0



Food industry version

High-pressure hose food DN6 15m

Food industry version, AVS connection in the trigger gun. grey NW 6/155°C/250 bar

Order no. 6.391-654.0



Longlife 400

High pressure hose DN 6, 10 m, Longlife

With patented AVS connection in the trigger gun (pivot-mounted).

Order no. 6.391-882.0



Cold water compact class

HD 5/12 C Plus *AU



makes a difference

Longlife 400 with unions on both sides

High-pressure hose 1.5 m, DN 8, including connecting parts

with union on both sides, M22 x 1.5 with anti-kink protection. For connecting hose reels with M22 x 1.5 union.

Order no. 6.390-178.0



Longlife food industry version

High-pressure hose Longlife 400, 15 m, DN 6, AVS trigger gun connection

Longlife HP hose for use in the food industry. Außendecke## animal-grease-resistant, non-colour-bleeding material. With patented AVS connection in the pistol (pivot mounted)

Order no. 6.391-888.0



Nozzle union

Nozzle union

With protector for high-pressure and Power nozzles M 18 x 1.5

Order no. 5.401-210.0



Push-on washing brush

Push-on washing brush, M18 x 1.5

General-purpose cleaning on all surfaces. With clamp for mounting directly to spray lance. Connection M 18 x 1.5.

Order no. 4.762-016.0



Cold water compact class

HD 5/12 C Plus *AU



makes a difference

Rotary coupling

Rotating coupler

Reliably prevents high-pressure hose twisting. Connection M 22 x 1.5 m. protector

Order no. 4.401-091.0



Spacer (including nozzle union)

Spacer (incl.nozzle union)

Guarantees constant safety clearance, e.g. for tyres and bodywork. Helps prevent damage to sensitive surfaces. Mounts directly to lance.

Order no. 5.394-294.0



Special hoses

High-pressure hose, 1.5 m DN 8, connection to hose reel

Order no. 6.388-886.0



Spray lance

Jet pipe packaged only for replacement

Order no. 4.760-665.0



Jet pipe packaged only for replacement

Order no. 4.760-667.0



Cold water compact class

HD 5/12 C Plus *AU



makes a difference

Suction filter

Water filter

Order no. 6.414-956.0

