

## NT 65/2 Eco Tc

The NT 65/2 Eco TC is a powerful, two-motor wet and dry vacuum cleaner for professional applications. Flat pleated filter is cleaned efficiently by air pulse system for almost constant suction power at all times.

### Standard accessories:

- Suction hose 4 m
- Metal suction tube
- 2 x 0.5 m
- Filter bag Paper
- Wet and dry floor tool 360 mm
- Crevice tool
- Drain hose (oil resistant)
- Auto shutdown when max. level is reached
- Eco filter system
- Flat pleated filter PES
- Tilting chassis
- Power Filter Clean
- Bumper bar
- Push handle
- Safety class II
- Caster with brake
- Maintenance -free suction fans 2 piece



**Order no.: 1.667-141.0**

### Technical data

Air flow rate (l/s)	2 x 56
Vacuum (mbar/kPa)	235/23.5
Container capacity (l)	65
Max. intake performance (W)	max. 2750
Standard nominal width (mm)	40
Length of cord access. (m)	10
Sound pressure level (dB(A))	74
Container material	Plastic
Frequency (Hz)	50-60
Voltage (V)	220-240
Weight (kg)	26
Dimensions (L x W x H) (mm)	690x520x1000

## Details

### Description

The NT 65/2 Eco TC is a powerful wet and dry vacuum cleaner with an exclusive Power Filter Clean system for constant high suction power and long periods of uninterrupted operation. This unit features a compact fan housing with a separate filter cover for easy access to the large flat pleated PES filter. The filter is cleaned efficiently with the aid of the Power Filter Clean function (air pulses activated via remote control lever) to ensure high suction power at all times, longer periods of uninterrupted operation and a long filter life. The NT 65/2 Eco TC is equipped with an electronic level monitor which shuts off suction when maximum capacity is reached during wet pick-up to prevent overflow. A tilting facility enables the robust plastic container to be emptied without causing backache. After wet pick-up, the container can also be emptied by means of the built-in oil-resistant drain hose. The clip system ensures simple and quick accessory changes. There are on-board holders for the hose and accessories as well as a large tray-like surface on top of the unit for parking tools. Two large wheels and two castors, one with brake, make the NT 65/2 Eco TC highly mobile.

---

### Application

This wet and dry vacuum cleaner is a particularly user-friendly unit suitable for universal applications in the crafts and trades, e.g. building and allied trades, automotive workshops and contract cleaners as well as the metal-working industries

---

### Features & Benefits

High grade rubber-insulated power cord Very durable, non-kinking and abrasion resistant. For tough applications and a long service life Housing made of impact resistant plastics Low weight for effortless operation. Withstands high loads and knocks. Large flat tray for tools on motor head Tools (portable drill, orbital sander) can be put down safely and are always within reach without stooping Oil resistant drain hose standard on all machines Longlife hose, resistant to aggressive media, for easy emptying of full container. On-board holders for power cord and accessories Avoid soiling and damage. User has everything within easy reach.

---

## Accessories

### Adapter (tube -> nozzle)

#### Adapter (tube -> tool)

From DN 40 to 61, plastic

Order no. 5.453-019.0



### Adapter for electric power tools, clip on, EL (electroconductive)

#### Connecting sleeve, electric tool C 35, el.

Inner Ø 28 mm / outer Ø 34 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-052.0



#### Connecting sleeve, electric tool C 35, el.

Inner Ø 32 mm / outer Ø 39 mm EL Only WD vacuums

Order no. 5.453-051.0



#### Adapter for electric power tools, C 35, el.

Inner Ø 27 mm / outer Ø 36.5 mm / 38.8 mm EL. Only WD vacuums

Order no. 5.453-050.0



#### Connecting sleeve, electric tool C 35, el.

Inner Ø 28.6 mm / outer Ø 37.3 mm / 38.8 mm EL Only WD vacuums

Order no. 5.453-049.0



## NT 65/2 Eco Tc

### Adapter for electric power tools, clip on, EL (electroconductive)

#### Adapter for electric power tools, C 35, el.

Inner Ø 25.4 mm / outer Ø 34.6 mm / 38 mm EL. Only WD vacuums

Order no. 5.453-048.0



#### Adapter for electric power tools, C 35, el.

Plastic, adjustable from DN 26-36 (Te / Eco M / H), EL. Only WD vacuums

Order no. 5.453-042.0



### Adapter for electric power tools, screwable

#### Adapter for electric power tools, screwable 35

Inner Ø 28 mm / outer Ø 34/38.8 mm, EL

Order no. 6.902-095.0



#### Adapter for electric power tools, screwable 35

Inner Ø 32 mm / outer Ø 39 mm

Order no. 6.902-059.0



#### Adapter for electric power tools, screwable 35

Inner Ø 28.6 mm / outer Ø 37.3/38.8 mm, EL

Order no. 5.453-026.0



## Adapter for electric power tools, screwable

### Adapter for electric power tools, screwable 35

Plastic, suitable for DN 26-36, EL

Order no. 5.453-016.0



### Adapter for electric power tools, screwable

Plastic, adaptable from DN 26-36

Order no. 2.639-129.0



## All-purpose brushes

### All-purpose brush, DN 35

Natural bristles (ox hair), bristle element 120 x 45 mm

Order no. 6.903-863.0



## All-purpose nozzles (wet/dry)

### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878) and rubber lips (6.905-877)

Order no. 6.906-513.0



### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-064) and rubber lips (6.903-081)

Order no. 6.906-384.0



## All-purpose nozzles (wet/dry)

### All-purpose tool (wet/dry)

Aluminium with height-adjustable rollers, brush strips (6.903-065) and rubber lips (6.906-146)

Order no. 6.906-383.0



### All-purpose nozzle (wet/dry)

Aluminium with height-adjustable rollers with brush strips (6.903-064) and rubber lips (6.903-081, oil resistant).

Order no. 6.903-018.0



### All-purpose nozzle (wet/dry)

Plastic with rollers, brush strips (6.905-878.0) and rubber lips (6.905-877.0)

Order no. 6.906-554.0



## Bend metal

### Bends

Metal

Order no. 6.900-519.0



### Bends

Metal

Order no. 6.900-276.0



## Bend plastic

### Plastic bend

Plastic with C-40 clip system, electroconductive

Order no. 5.032-427.0



### Plastic bend

Plastic DN 35 with C-35 clip system, electroconductive

Order no. 5.031-939.0



### Plastic bend

Plastic with C-35 clip system

Order no. 5.031-718.0



### Plastic bend

Plastic with C-40 clip system

Order no. 5.031-904.0



## Bend stainless

### Bends

Stainless steel

Order no. 6.903-141.0



## Bend stainless

### Bends

Stainless steel

Order no. 6.902-079.0



## Car cleaning nozzles

### Car vacuuming nozzle

Plastic

Order no. 6.900-952.0



## Connecting sleeve C-DN (clip on taper), EL (electroconductive)

### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 35 hose for DN 35 EL accessories

Order no. 5.407-112.0



### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 40 EL accessories

Order no. 5.407-111.0



### Connecting sleeve C-ID (clip on taper) (electrically conductive)

Connects C 40 hose for DN 35 EL accessories

Order no. 5.407-109.0



## Connecting sleeves

### Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.902-078.0



### Connecting sleeve

For connecting 2 suction hoses (not ESB 28)

Order no. 6.902-077.0



### Connecting sleeve

For connecting 2 suction hoses, thread on both sides

Order no. 6.900-286.0



## Crevice nozzles

### Grout nozzle

Metal

Order no. 6.905-817.0



### Grout nozzle

Metal

Order no. 6.900-922.0



## Crevice nozzles

### Grout nozzle

Plastic

Order no. 6.900-385.0



### Grout nozzle

Plastic

Order no. 6.903-033.0



## Crevice tools

### Grout nozzle, stainless steel

Grout nozzle, stainless steel, 400 mm

Order no. 6.900-926.0



### Grout nozzle, synthetic

Grout nozzle, plastic, 370 mm

Order no. 6.900-222.0



## Diaphragm filter/ fabric filter

### Diaphragm filter / fabric filter

Polyester needled fleece, BIA-C approved, washable (40 °C)

Order no. 6.904-282.0



## Extension hoses (Clip-system)

### Extension hose C 40

For all C-40 hoses

**Order no. 6.906-344.0**



## Flat pleated filter (paper)

### Flat filters

Paper, BIA-C dust class M approved, (only NT 65/ 2 Eco/opt. with TC models)

**Order no. 6.904-283.0**



## Flat pleated filter (PES)

### Flat pleated filters (PES)

Polyester fleece, rot-proof, Dust class M approved

**Order no. 6.904-284.0**



## Floor tools

### Floor nozzle cpl. 500 mm

Aluminium, oil-proof, 500 mm, with hight-adjustable rollers, strips (6.903-067.0) and rubber lips (6.906-168.1)

**Order no. 4.130-413.0**



## Gangway nozzles

### Gangway nozzle

Metal, height-adjustable, brush strips, only for Tc versions.

**Order no. 4.130-400.0**



## HEPA filter for dust class H

### HEPA flat filter

HEPA surface filter, dust class H (H 14)

**Order no. 6.904-364.0**



## Other accessories for T and NT

### Adapter ring for 200-l drum

Ring adapter for EURO steel drum ( 200 l.) with lid but in connection with additional lid (separator) 4.063-132.

**Order no. 6.902-051.0**



### Lid (separator)

For 6.902-051/4.070-111 and NT 802 l tank

**Order no. 4.063-132.0**



### Drum separator

Metal, from DN 61 to 61, for liquids only

**Order no. 3.864-012.0**



## NT 65/2 Eco Tc

### Other accessories for T and NT

#### Separator

Complete container ( 80 litre) and lid (ID 61); for coarse dirt and fluids (without suction hose).

Order no. 3.864-010.0



### Paper filter (2 ply)

#### Filter bags 5 pcs - NT 65/2 Eco

BIA-C, dust class M approved, 3-ply, reinforced outer ply, tear resistant

Order no. 6.904-285.0



### Pipe dusting nozzles

#### Pipe dusting nozzle

Plastic, pipe diameter 200 mm

Order no. 6.903-036.0



#### Pipe dusting nozzle

Plastic, pipe diameter 100 mm

Order no. 6.903-035.0



### Plastic bend

#### Bends, plastic

Bends, plastic

Order no. 6.902-021.0



## Plastic sacks for dust-free disposal

### Plastic sacks for dust-free disposal

PE plastic sack

Order no. 6.900-698.0



## Radiator brushes

### Radiator brush

Plastic, for crevice nozzle 6.900-385

Order no. 6.903-034.0



## Reducer (tube -> nozzle)

### Reducer (tube -> nozzle)

From DN 35 to 32, metal

Order no. 6.902-072.0



## Reducers (tube DN40-> nozzle)

From DN 40 to 35, plastic

Order no. 6.902-017.0



## Reducing sleeve

### Reducing sleeve

Reducing sleeve, from C-40 to C-35

Order no. 5.407-113.0



## Reducing sleeve

### Reducer

From C-40 hose to adapter, screwable DN 35

Order no. 5.407-108.0



## Repair kits

### Repair kit

Suction hose repair kit. Optional for all NT 65/2 and 72/2, NT 993 I, NT 802 I

Order no. 2.862-038.0



### Repair kit, C 40

Repair kit suction hose (clip system)

Order no. 2.639-873.0



## Rubber suction tools, nose 45°

### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-105.0



### Rubber suction nozzle, 45° nose

For suction of machines, oil-resistant

Order no. 6.902-104.0



## NT 65/2 Eco Tc

### Set reducing / extension sleeves

#### Set reducing/ extension sleeves

ID 40/35, ID 35/32 (tube -> nozzle), plastic

Order no. 2.860-117.0



### sonstiges

#### Extension cable

20 meter.

Order no. 6.647-022.0



### Suction brushes

#### Suction brushes

Natural bristles (cattle hair), pivotable

Order no. 6.903-862.0



### Suction hoses

#### Suction hose, plastic

(without connectors)

Order no. 6.389-839.0



#### Set of connectors C-40

Repair kit for all C-40 and ID 40 hoses

Order no. 2.639-905.0



## Suction hoses (Clip-system)

### Suction hose

Suction hose with bayonet coupling, electroconductive

Order no. 6.906-877.0



### Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-714.0



### Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-635.0



### Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-546.0



### Suction hose (clip system)

With bayonet and clip connecton

Order no. 6.906-321.0



### Suction hose, complete

With bayonet and clip connecton

Order no. 6.906-279.0



## NT 65/2 Eco Tc

### Suction hoses complete

#### Suction hose, DN 61, el. complete

Electrically conductive

Order no. 4.440-617.0



#### Suction hose, complete

Electrically conductive

Order no. 4.440-616.0



#### Suction hose, complete

Industrial hose, PVC/elastomer with steel spiral, smooth inside

Order no. 4.440-615.0



#### Suction hose (without connectors)

Oil-resistant

Order no. 4.440-614.0



#### Suction hose (without connectors)

Oil-resistant

Order no. 4.440-613.0



#### Suction hose, complete

Standard

Order no. 4.440-467.0



## NT 65/2 Eco Tc

### Suction hoses complete

#### Suction hose, complete

Industrial hose, PVC/elastomer with steel spiral, smooth inside

Order no. 4.440-328.0



#### Suction hose, complete

Standard

Order no. 4.440-264.0



### Suction hoses complete (Clip-system)

#### Suction hose, C 40

With bend and module (4.060-533), electrically conductive

Order no. 4.440-728.0



#### Suction hose complete (clip system)

with bend

Order no. 4.440-678.0



#### Suction hose, C-DN 40, complete

With bend and module (4.060-474)

Order no. 4.440-679.0



## Suction tubes metal

### Suction tubes

Metal

Order no. 6.900-514.0



### Suction tubes

Metal

Order no. 6.900-275.0



## Suction tubes stainless

### Suction tubes

Stainless steel

Order no. 6.906-531.0



### Suction tubes

Stainless steel

Order no. 6.902-081.0



### Suction tubes

Stainless steel

Order no. 6.902-046.0



## NT 65/2 Eco Tc

### Target-group-specific vacuum cleaner accessory sets

#### Bus cleaning kit

Individual parts: tubular frame with hose holder (4.050-667), suction hose 16m (4.440-756), floor tool (6.906-639), grout nozzle (6.906-240), metal suction tube 2x0.5m (6.900-514), metal bend (6.900-519), suction brush (6.900-697), filter bag, 5-pack (6.904-285), car vacuuming nozzle (6.906-108), reducer (5.407-109)

Order no. 2.640-560.0



### Tools for vacuuming smaller areas, cleaning machines

#### Rubber suction tool 45° DN61

Angled 45°, for suction of machines, oil-resistant

Order no. 6.902-106.0



### Tools for vacuuming surfaces / cleaning machines

#### Scratcher and scraper tool DN61 metal

Scratcher and scraper tool DN 61, sheet metal, 117 mm

Order no. 6.903-360.0



#### Surface tool alu DN61, 200mm

Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper

Order no. 4.130-415.0



### UBS non-conductive media

#### UBS non-conductive media -2

for shutdown with non-conductive liquids

Order no. 2.640-426.0



Wet and dry vacuum cleaners

## NT 65/2 Eco Tc



---

### Y-piece kit

#### Y-junction kit

Distributor, plastic

Order no. 2.637-217.0

